

Performance Bulletin

YPB#: PB_ALM_ClassicCSCamp_50TLR_5-21-07_ALM

Test Date: 5/21/07



50TLR

Alamacraft Classic CS Camp

Length	16' 5"
Beam	6' 10"
Dry Weight (published)	850 lbs.
Max HP	50
Fuel Capacity	20 gals.
Weight as Tested (approximate)	1,660 lbs.

Yamaha 50TLR

Horsepower	50
Fuel Induction	Carbureted
Displacement	42.6 cu. in.
Weight	189 lbs.
Gear Ratio	1.85
Mounting Height	#2

Propeller

Series	Aluminum
Diameter/Pitch	11-3/8 x 12
Yamaha Part #	69W-45952-00-EL

Test Conditions

Number of People	2
Air Temperature	71° F
Water Temperature	60° F
Elevation	700 ft.
Wind Velocity	5-10 MPH

Comments:

Test weight includes 10 gallons of fuel, one battery, bow-mount trolling motor, safety and test equipment.


Note:

Data may vary due to changes in weather, elevation, options and equipment, load and boat bottom conditions. Fuel data gathered with Yamaha Fuel Management System. Speed data gathered with GPS receiver.

Performance Data

RPM	MPH	GPH	MPG
1000	3.5	0.5	7.00
1500	4.8	0.7	6.86
2000	6.0	1.1	5.46
2500	7.3	1.6	4.56
3000	10.3	2.2	4.68
3500	16.2	2.4	6.75
4000	20.2	2.9	6.97
4500	23.6	3.7	6.38
5000	27.1	4.5	6.02
5600	31.9	5.6	5.70

Seconds to Plane 3.45



Test performed and certified by Yamaha Application Engineers.

Boat Manufactured By:
Alumacraft • 315 West Julien Street • St. Peter, MN 56082
(507) 931-1050 • www.alumacraft.com

For more information:
Yamaha Motor Corp., USA • OEM Division, Marine Group
1270 Chastain Road NW • Kennesaw, GA 30144 • (800) 88-YAMAHA
For other Performance Bulletins, visit www.yamaha-motor.com.